L Number	Hits	Search Text	DB	Time stamp
-	6648	<pre>(combin\$7 near3 logic) and (ROM readonly read-only (read adj only))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/08/24 18:57
_	6474	binary near3 logic\$2 near3 function) (two near3 address near3 bit\$1	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/04/29
İ			DERWENT;	: :
-	597	((combin\$7 near3 logic) and (ROM readonly read-only (read adj only))) and (binary near3 logic\$2 near3 function) (two near3 address near3 bit\$1)		2003/04/29 14:03
 - -	6474	(binary near3 logic\$2 near3 function) or (two near3 address near3 bit\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29
_	155	(((combin\$7 near3 logic) and (ROM readonly read-only (read adj only))) and (binary near3 logic\$2 near3 function) (two near3 address near3 bit\$1)) and (binary near2 value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29
-	500 i	(((combin\$7 near3 logic) and (ROM readonly read-only (read adj only))) and (binary near3 logic\$2 near3 function) (two near3 address near3 bit\$1)) and (mux multiplex\$3) and (decod\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29 14:57
-	136	((((combin\$7 near3 logic) and (ROM readonly read-only (read adj only))) and (binary near3 logic\$2 near3 function) (two near3 address near3 bit\$1)) and (binary near2 value)) and ((((combin\$7 near3 logic) and (ROM readonly read-only (read adj only))) and (binary near3 logic\$2 near3 function) (two near3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:06
-	7	address near3 bit\$1)) and (mux multiplex\$3) and (decod\$3)) (combin\$7 near2 logic) and (binary near3 logic\$2 near3 function) and ((two binary) near3 address near3 bit) and (logic\$2 near2 function) and (binary near3 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29
· - · - · ·	2	("4849904").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29 14:18
- - -	1	10/172,590	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29
· _	1	((read adj only) adj3 data) near3 stor\$3 near3 (combinatorial adj2 logic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/24
! - i 	! 	((read adj only) adj3 data) with stor\$3 with (combinatorial adj2 logic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/24

-	17549	combin\$7 adj2 logic	USPAT;	2003/08/24
İ	1/545	Combiner adje rogic	US-PGPUB;	19:01
ļ]	ļ	EPO; JPO;	19.01
'	i		DERWENT;	'
l				
	2002		IBM_TDB	2002/00/04
-	3003	combinatorial adj2 logic	USPAT;	2003/08/24
	1		US-PGPUB;	19:01
	:		EPO; JPO;	:
!	!		DERWENT;	<u>:</u>
;			IBM_TDB	
j -	I 59		USPAT;	2003/08/24
		only) adj3 data)	US-PGPUB;	19:02
1		I	EPO; JPO;	Y The state of the
			DERWENT;	
1			; IBM_TDB	
-	55	((combinatorial adj2 logic) and ((read	USPAT;	2003/08/24
		adj only) adj3 data)) and (address near3	US-PGPUB;	19:02
1		bit)	EPO; JPO;	
	1		DERWENT;	1
		ļ	IBM TDB	1
-	1	(((combinatorial adj2 logic) and ((read	USPAT;	2003/08/24
	1	adj only) adj3 data)) and (address near3	US-PGPUB;	19:03
		bit)) and ((logic near3 function) same	EPO; JPO;	
		(address near3 bit))	DERWENT;	!
	:	, , , , , , , , , , , , , , , , , , , ,	IBM TDB)
_	! 27	(((combinatorial adj2 logic) and ((read	USPAT;	2003/08/24
	1	adj only) adj3 data)) and (address near3	US-PGPUB;	19:03
:		bit)) and (logic near3 function)	EPO; JPO;	. 25 7 5 5
İ		i,,	DERWENT;	
1		i	IBM TDB	i
1 _	1	((((combinatorial adj2 logic) and ((read	USPAT;	2003/08/24
	1	adj only) adj3 data)) and (address near3	US-PGPUB;	19:07
	!	bit)) and (logic near3 function)) and	EPO; JPO;	1 - 5 - 5 - 5
İ	i	((read adj only) with (combinatorial adj	DERWENT;	
ı	1	logic))	IBM TDB	
1_	: 62	(read adj only) with (combinatorial adj	USPAT;	2003/08/24
1	02	logic)	US-PGPUB;	19:07
1		i rogre,	EPO; JPO;	19.07
	l	1	DERWENT;	
]			-	
L	L		IBM TDB	L